

Generated Documentation



Contents

Package default Classes	1
Class db	1
Constructor __construct	1
Method getResult	1
Method getResultIterator	1
Method query	1
Class ResultIterator	2
Constructor __construct	2
Method current	2
Method key	2
Method next	2
Method rewind	2
Method valid	3
Appendices	4
Appendix A - Class Trees	5
default	5

Package default Classes

Class db *[line 12]*

- **Package** default

Constructor function db::__construct(\$host, \$username, \$password, \$database) *[line 19]*
function db::getResult() *[line 42]*

- **Access** public

function db::getResultIterator() *[line 51]*

- **Access** public

function db::query(\$query) *[line 29]*

- **Access** public

Class ResultIterator

[line 56]

- **Package** default

Constructor function ResultIterator::__construct(\$Result) *[line 81]*

- **Access** public

function ResultIterator::current() *[line 61]*

- **Access** public

function ResultIterator::key() *[line 65]*

- **Access** public

function ResultIterator::next() *[line 69]*

- **Access** public

function ResultIterator::rewind() *[line 73]*

- **Access** public

function ResultIterator::valid() [*line 77*]

- **Access public**

Appendices

Appendix A - Class Trees

Package default

db

- mysqli
 - [db](#)

ResultIterator

- [ResultIterator](#)

Index

C

constructor db::__construct()	1
constructor ResultIterator::__construct()	2

D

db	1
db::getResult()	1
db::getResultIterator()	1
db::query()	1

R

ResultIterator	2
ResultIterator::current()	2
ResultIterator::key()	2
ResultIterator::next()	2
ResultIterator::rewind()	2
ResultIterator::valid()	3